Fw: Dimock Daily Report

Cecil Rodrigues, Terri-A White, Cynthia Metzger, Dennis Carney, Heather Gray, duteau.helen,

Humane Zia, hodgkiss.kathy, Michael Kulik, Roy Seneca, Joan Schafer, Victoria Binetti, Walter

Ron Borsellino to: Wilkie, taylor.trish, johnson.Karend, Jennie Saxe, Gerald Heston, Fran Burns, JohnJ Butler, Ron

Borsellino, Driscoll.Stacie, krakowiak.john, JohnJ Butler, William Arguto, Ellen Schmitt, Jon

Capacasa, John Pomponio, Kathy Hodgkiss

From: Ron Borsellino/R3/USEPA/US

Cecil Rodrigues/R3/USEPA/US@EPA, Terri-A White/R3/USEPA/US@EPA, Cynthia Metzger/ESC/R3/USEPA/US@EPA, Dennis Carney To:

<carney.dennis@epa.gov>, Heather Gray/R3/USEPA/US, duteau.helen@epa.gov, Humane Zia/R3/USEPA/US@EPA,

hodgkiss.kathy@epa.gov, Michael Kulik/R3/USEPA/US@EPA, Roy Seneca <seneca.roy@epa.gov>, Joan Schafer/R3/USEPA/US@EPA, Victoria Binetti/R3/USEPA/US@EPA, Walter Wilkie/R3/USEPA/US@EPA, taylor.trish@epa.gov, johnson.Karend@epa.gov, Jennie Saxe/R3/USEPA/US@EPA, Gerald Heston/R3/USEPA/US@EPA, Fran Burns/R3/USEPA/US@EPA, JohnJ Butler/R3/USEPA/US@EPA,

03/09/2012 03:52 PM

William Arguto/R3/USEPA/US@EPA, Ellen Schmitt/R3/USEPA/US@EPA, Jon Capacasa/R3/USEPA/US@EPA, John

Pomponio/R3/USEPA/US@EPA, Kathy Hodgkiss/R3/USEPA/US@EPA,

see below

Ron Borsellino

Director

Hazardous Site Cleanup Division

-- Forwarded by Ron Borsellino/R3/USEPA/US on 03/09/2012 03:51 PM -----

Ron Borsellino/R3/USEPA/US From:

To: Bob Sussman/DC/USEPA/US@EPA, Mathy Stanislaus/DC/USEPA/US@EPA, Brendan Gilfillan/DC/USEPA/US@EPA, Lisa

Feldt/DC/USEPA/US@EPA, Dana Tulis/DC/USEPA/US@EPA, Betsaida Alcantara/DC/USEPA/US@EPA, Arvin Ganesan/DC/USEPA/US@EPA, Sarah Pallone/DC/USEPA/US@EPA, Janet Woodka/DC/USEPA/US@EPA, Larry

Early/R3/USEPA/US, Shawn Garvin/R3/USEPA/US@EPA, Amy Johansen/R3/USEPA/US@EPA, Daniel Ryan/R3/USEPA/US@EPA, Michael

DAndrea/R3/USEPA/US@EPA, Janice Donlon/R3/USEPA/US@EPA

Date: 03/09/2012 03:50 PM Dimock Daily Report Subject:

Dimock Daily Report March 9, 2012

FIELD ACTIVITIES

Water Supply

- Alternate water continues to be provided as necessary.
- The one resident whose well water was found to have high arsenic and who was receiving water from Cabot has declined further alternate water from Cabot and from EPA.

Sampling

- No homes sampled today.
- Region continues to finalize data packages for distribution next week.
- There are currently four outstanding residences that we are still attempting to schedule. Of these four, one will not be back in the area before April. We are still trying to re-schedule sampling with the resident in the hospital.

Includes home sampled yesterday afternoon.

Dimock Executive Summary							3/8/2012
		Survey		Appointments			
	Surveys	followup	Appointments	to be	Splits with	Splits with	Sampling
Sampling Categories	Received	needed	Scheduled	scheduled	PADEP	Cabot	Done
CO&A List	20	1	20	1	6	5	18
Historical Sampling	44	2	44	3	37	37	42
Added on Criteria	1	0	1	0	1	1	1
Unaccounted	0	1	0	0	0	0	0
Subtotal	65	4	65	4	44	43	61
TOTALS	69		69				

'Unaccounted category includes homes that were sent certified letters due to disconnected phone - not counted in appointment to be scheduled. Also note that the discrepancy between Sampling Done and Appointments Scheduled is because some homes shared a well and only one home was sampled.

COMMUNICATIONS

- Fact Sheet alerting residents that EPA will be contacting them over several weeks with water sample results is finalized and will be distributed
- Draft Q&As provided to HQ for concurrent review with R3 internal review.

LEGAL ISSUES

None reported today

Let me know if you have questions or need additional information

Ron

Ron Borsellino Director Hazardous Site Cleanup Division

DIM0250319 DIM0250319